

Page 1 of 6 **WP-942** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

Prepa	ared to OSHA, ACC, ANSI, NO	DHSC, WHMIS, 20	01/58 & 1272/20	08/EC Standar	ds		SDS	Revision	n: 2.0		SDS	Revisio	n Date: 1	2/31/2013
		1. F	RODUC	Г & COM	PANY	<b>IDE</b>	NTIF	<b>ICA</b>	TION					
1.1	Product Name:	BOSC	H CAM L	UBE										
1.2	Chemical Name:	Grease												
1.3	Synonyms:	NA												
1.4	Trade Names:	Bosch Ca	m Lube											
1.5	Product Use:	Lubricatin	g Grease											
1.6	Distributor's Name:	Worldpad	, Inc.											
1.7	Distributor's Address:	37137 Hic	kory Street, N	ewark, CA 94	560 USA									
1.8	Emergency Phone:	INFOTE	RAC: +1 (80	0) 535-505	53 / +1 (	352)	323-3	500 (	CONT	TRA(	CT 84	4261)	)	
1.9	Business Phone / Fax:		608-5525 / +1											
				ZARDS I										
2.1	Hazard Identification:	the classif DANGER IRRITATION Hazard St skin irritati Precaution warm wat P301+310 - Do NOT EYES: Rii easy to advice/att	uct is classified ication criteria ! MAY BE FON. CAUSES atements (H): on. H319 - C mary Statemer er thoroughly : iF SWALLO induce vomitions cautiously do - continention. P272 : P302+P352	of [NOHSC: ATAL IF SW SERIOUS EN H304 – May lauses serious ts (P): P264 after handling WED: Immed ing. P261 - with water for ue rinsing. – Contamina	MOSS (200  VALLOWE  YE IRRIT  be fatal if  s eye irrita  4 - Wash  P280 -  iately call  Avoid bre  or several  P337+P3  ated work	4)] and AN ATION swallor tion. hands Wear (a POIS athing minute 13 - c cloth	A ADG  A ADG  B ADG  Wed ar  and	Code (TERS) and enterexpose and eyers. The prays. The prays in the pra	Australia AIRWA  Australia AIRWA  Australia Au	ia).  Ays. If areas ction/ctor/p +P351 lenses ersists allow	with face physicial HP33 sif press get	ES SK  - Caus soap a protecti an. P3 8 - IF esent a mediut of	ses and fon. 301 IN and ical the	
2.2	Effects of Exposure:	section 4 Store lock disposal fa  Eyes:		Data Sheet.  I - Dispose of the eye irritation.	P363 Was of content	sh cont s/conta	tamina ainer t	ted clo o licen	thing be ses trea	efore i atmer	reuse. nt, sto	. P40	5 –	
		Skin: Ingestion: Inhalation	May be liquid ca : May be	an cause seve	wallowed. ere lung da aled. Cau	Ingestamage ses re	tion ca or dea	n caus	se a lax	kative	effec		•	into the lungs
2.3	Symptoms of Overexposure:	Eyes: Skin: Ingestion: Inhalation:	Eyes: Irritation, redness, and watering.  Skin: Possible irritation, defatting, or dermatitis (rash), characterized by dry, scaling, red, itching skin.											
2.4	Acute Health Effects:	Moderate		•		o skin	near a	ffected	areas.					
2.5	Chronic Health Effects:	Moderate irritation to eyes. Moderate irritation to skin near affected areas.  Contains a petroleum-based mineral oil. Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, (dermatitis) or oil acne. Repeated or prolonged inhalation of petroleum-based mineral oil mists at concentrations above applicable workplace exposure levels can cause respiratory irritation or other pulmonary effects.												
2.6	Target Organs:		per respiratory				· · ·							
		0 00	MDOOIT	011 0 111	<u> </u>		1815	<u> </u>	A A T14					
		3. CO	MPOSITI	ON & INC	KEUI	<u>EN I</u>	INF	OK/						
							CILL	EXPOSURE LIMITS IN AIR (mg/m³)			I			
							GIH		NOHSC			OSHA		-
						р	pm T	ES-	ppm ES-	ES-		ppm		1
CHEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA		PEAK	PEL	STEL	IDLH	OTHER
	RAL OIL	8042-47-5	PY8047000	232-455-8	60-100	(5)	(10)	(5)	NA	NA	(5)	(10) *	(2500)	* NIOSH
WINE	IV IL OIL	Asp. Tox. 1; H3		1						-		1		ı
N-1-N	IAPHTHYLANILINE		QM4500000	201-983-0	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
		Acute Tox. 4; S	kin Irrit. 2; Eye Ir	rit. 2A; STOT S	E 3; H302,	H315, l	⊣319, H	335						

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 6

SAFETY DATA SHEET WP-942 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 4. FIRST AID MEASURES 4 1 First Aid: Ingestion: Do NOT induce vomiting. Contact Infotrac +1 (800) 535-5053 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 Eyes: minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists Skin: and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial Inhalation: respiration. Seek immediate medical attention. 4.2 Medical Conditions Aggravated by **HEALTH** Persons with pre-existing central nervous system (CNS) disease, neurological conditions, skin disorders, chronic **FLAMMABILITY** 1 respiratory diseases, or impaired liver or kidney function should PHYSICAL HAZARDS 0 avoid exposure. PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: Avoid all ignition sources such as sparks, heat and open flames. If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO<sub>2</sub>, and NOx), smoke, hydrocarbons and their derivatives and other toxic pyrolysis products. Extinguishing Methods: 5.2 Water, Foam, CO<sub>2</sub>, Dry Chemical, low velocity water fog, Halon (if permitted), Firefighting Procedures: 5.3 As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Treat as hot oil. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a noncombustible, inert material such as vermiculite or sand to soak up the product and place into a container for later Large Spills: Keep incompatible materials (e.g., oxidizers, strong acids, alkalis) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. . Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean-up and decontaminate

containers. Use appropriate containment to avoid environmental contamination.

Empty containers may retain hazardous product residues.

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct

sunlight. Store in closed containers. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10) and food/drink. Protect containers from physical damage. Do not store in unlabeled

any spills or residues.

7.2

7.3

Storage & Handling:

Special Precautions:



Page 3 of 6

SAFETY DATA SHEET WP-942 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eve Protection: Avoid eye contact. Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU) 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. 8.5 Body Protection: Not required under normal conditions of use. A chemical resistant apron and/or protective clothing are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product. Protective working garments should meet EU Standard EN 344 or equivalent. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Light brown paste 9.2 Odor: Mild mineral oil odor 9.3 Odor Threshold NA 9.4 Neutral 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling Range: NA 9.7 Flashpoint: > 200 °C (> 392 °F) Upper/Lower Flammability Limits: 9.8 NA 9.9 Vapor Pressure < 0.1 hPa @ 20 °C (68 °F) 9.10 Vapor Density NA 9.11 Relative Density: 0.90 g/cm<sup>3</sup> @ 15.6 °C (60 °F) 9.12 Solubility Soluble @ 20 °C (68 °F) 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA Decomposition Temperature: 9.15 NA Viscosity: 9.16 NA 9.17 Other Information: VOC Content: 0% 10. STABILITY & REACTIVITY Stability: 10.1 This product is stable under normal storage and use conditions. Hazardous Decomposition Products: 10.2 Oxides of carbon (CO, CO<sub>2</sub>) and nitrogen (NO<sub>x</sub>) and oxides of phosphorous, calcium, molybdenum, and sulfur. 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, high heat and direct sunlight. 10.5 Incompatible Substances: Strong oxidizing agents, acids or alkalis. 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES 11.1 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this product, found in scientific literature, are presented below: n-1-Naphthylaniline: LD50 (oral, rat): > 1,625 mg/kg; Mineral Oil: LD<sub>50</sub> (oral, rat) > 5000 mg/kg; LD<sub>50</sub> (dermal, rabbit) > 2000 mg/kg; LD<sub>50</sub> (inhalation, rat) >5000 mg/m<sup>3</sup> Acute Toxicity: 11.3 See section 2.4 11.4 Chronic Toxicity: See section 2.5 11.5 Suspected Carcinogen: This product contains n-1-Naphthylaniline, a component that is listed as carcinogenic by RTECS criteria. (lungs, thorax, kidneys, ureter, bladder) 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity This product is not reported to produce mutagenicity effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product:

Treat symptomatically. Contact a poison treatment specialist if a large quantity was ingested or inhaled.

See Section 2.3

NA

11.8

11.9

Biological Exposure Indices:

Physician Recommendations:



Page 4 of 6 **WP-942** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: Do not allow product to reach ground water, water bodies or sewage system. Mineral Oil: Ready Biodegradability -CO2 Evolution Test (OECD 301B): 6% - 28 days 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. WGK: 2 **DISPOSAL CONSIDERATIONS** 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Special Considerations Contact the federal, state or provincial environmental authority to determine suitability for recycling and or proper disposal requirements. If the material is unsuitable for recycling or reclamation, enclosed-controlled incineration is recommended unless otherwise prohibited by local statute. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGT, ADR and the CTDGR. 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** 14.7 ADGR (AUS): **NOT REGULATED** REGULATORY INFORMATION 15. SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. 15.2 SARA Threshold Planning Quantity: 15.3 TSCA Inventory Status All components of this product are listed in the TSCA Inventory or are exempt. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC. n-1-Naphthylaniline: Irritant, Harmful to the Environment (Xi, N). Risk Phrases (R): R36/38-43-50-53 - Irritating to eyes and skin. May cause sensitization by skin contact. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Safety Phrases (S): S(2)-23-24-62 - Keep out of the reach of children. Do not breathe mists/vapors/spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible



Page 5 of 6 **WP-942** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013

		16. OTHER INI	FORMATION
16.1	Other Information:	SERIOUS EYE IRRITATION. Wash han handling. Wear gloves and eye prote CENTER or doctor/physician. Do NO cautiously with water for several minutes eye irritation persists get medical advice	DWED AND ENTERS AIRWAY. CAUSES SKIN IRRITATION. CAUSES and and exposed skin areas with soap and warm water thoroughly after action/face protection. IF SWALLOWED: Immediately call a POISON induce vomiting. Avoid breathing mist/sprays. IF IN EYES: Rinse and Remove contact lenses if present and easy to do – continue rinsing. If a poision in the example of the state of t
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	Other government regulations must be Worldpac's knowledge, the information of suitability or completeness is not guara provided. The information contained her	uant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. reviewed for applicability to this product. To the best of ShipMate's & ontained herein is reliable and accurate as of this date; however, accuracy, nteed and no warranties of any type, either expressed or implied, are rein relates only to the specific product(s). If this product(s) is combined erties must be considered. Data may be changed from time to time. Be
16.4	Prepared for:	Worldpac, Inc. 37137 Hickory Street Newark, CA 94560 USA Tel: +1 (510) 608-5525 Fax: +1 (510) 742-9262 http://www.worldpac.com	WORLDPAC ::::::::::::::::::::::::::::::::::::
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, OR 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate  Dangerous Goods Training & Consulting



Page 6 of 6 WP-942

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
IDI H Immediately Dangerous to Life and Health		

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D	<b>B</b>	型	
Е			
F			









Face Shield & Protective Eyewear



Synthetic Apron

Protective Clothing & Full Suit

**Dust Respirator** 

**Full Face Respirator** 

**Dust & Vapor Half-**Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature					
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

#### **HAZARD RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



#### **TOXICOLOGICAL INFORMATION:**

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>lo</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	CA U.S. Toxic Substance Control Act	
EU	EU European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>*</b>	<b>(2)</b>		$\odot$	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

		M	*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

	<b>(%)</b>	<b>®</b>	$\Diamond$			$\Leftrightarrow$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment