

Page 1 of 6 WP-014

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

					us	•								
		1	PRODUC	CT & COM	PANY	IDEN	JTIE	IC V	TION	ī				
1.1	Product Name:			T GREAS			.		1101	•				
1.2	Chemical Name:	Grease												
1.3	Synonyms:	NA												
1.4	Trade Names:		Joint Grease	02582										
1.5	Product Use:	Lubricat	ing Grease											
1.6	Distributor's Name:	Worldp												
1.7	Distributor's Address:		•	Newark, CA 94	560 USA									
1.8	Emergency Phone:	INFOT	RAC: +1 (8	300) 535-505	53 / +1 (352) 3	23-3	500 (CONT	ΓRΑC	CT 84	1261)		
1.9	Business Phone / Fax:			1 (510) 742-926				•						
			2 LI	AZADDO I	DENT	IEIC	TIC	N I						
2.1	Hazard Identification:	This pro		AZARDS I					aoroue		10.000	ordina	to	
2.1		the class WARNII Hazard S Precauti Contam protectiv water. I specific clothing	sification criter NG! MAY CA Statements (Honary Stater inated work over gloves/eye P333+P313 — treatment — before reuse	ied as a hazardia of [NOHSC: " USE AN ALLEI 1): H317 - May of the continuous should protection. P3 If skin irritation see section 4 2. P405 - Stoprage and disposition of the continuous should should be seen section 4 3. P405 - Stoprage and disposition of the continuous should be seen section 4 4. P405 - Stoprage and disposition of the continuous should be seen section 4	1088 (2004) RGIC SKII cause an a P261 - A not be a 102+P352 or rash oc of this S re locked	4)] and N REAC allergic Avoid tallowed - IF OI cours: G afety D up. P	ADG CTION Skin represent to the country of the coun	Code (I. eaction ing m of the N: Wa edical a Sheet.	Austral . ist/vapo workplash with dvice/a	ours/s ace. h pler attention	pray. P280 Ity of son. P3	P272 – Wesoap a 321 – Faminat	ear eind	(!)
2.2	Effects of Exposure:	Skin: Ingestio	Eyes: This product can cause transient mild eye irritation with short-term contact. Skin: This product can cause mild, transient skin irritation with short-term exposure. Ingestion: If swallowed, no significant adverse health effects are anticipated. Ingestion can cause a laxative effect. Inhalation: No significant adverse health effects are expected to occur upon short-term exposure to this product.											
2.3	Symptoms of Overexposure:	Eyes: Skin: Ingestion Inhalatio	Possi <u>n</u> : Low t	ly irritating char ble irritation, de oxicity. Laxative cause irritation t	fatting, or effects.	dermati Gastroir	itis (ra ntestin	sh), ch nal disc	aracter omfort,	ized b	y dry,			ching skin.
2.4	Acute Health Effects:			to eyes. Mode							Mav ca	ause a	n allergi	c skin reaction
2.5	Chronic Health Effects:	Prolonge		d skin contact of							_			
2.6	Target Organs:	Eyes, sk	in.											
		3 C(OMPOSIT	ION & INC	REDI	FNT	INF	ORM	ΙΔΤΙ	ON				
		<u> </u>	<u> </u>				41	J . V.IV			MITS IN	AIR (mg	g/m³)	
						ACG	ЭIН		NOHSC			OSHA		
						ppı	m		ppm			ppm		
	ICAL NAME(C)	CASAI	RTECS No.	EINECS No.	9/	TLV	CTEL	ES-	ES-	ES-	חבו	CTEL	IDLU	OTHER
HEIVI	CAL NAME(S)	NA	NA	NA	% 60-100	TLV NA	STEL NA	TWA NF	NF I	PEAK NF	PEL NA	STEL NA	IDLH NA	OTHER
ROP	PRIETARY INGREDIENTS	Skin Sens. 1;		1.0.	00 100	, .	, .					, .	, .	
ATT	Y ACID SOAP	NA	NA NA	NA	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
			4.	FIRST AI	D MEA	SUR	RES							
4.1	First Aid:	Ingestion	n: Do NOT	induce vomitin	g. Conta	ct Infotr	ac +1	` ,						

	ingestion.	or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
	Eyes:	If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.
	Skin:	Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned.
	Inhalation:	Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 6 **WP-014**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 4. FIRST AID MEASURES - cont'd 4.2 Medical Conditions Aggravated by Persons with eye and skin disorders should avoid exposure. **HEALTH** 1 Exposure: **FLAMMABILITY** 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards Avoid all ignition sources such as sparks, heat and open flames. If involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂, and NOx), smoke, hydrocarbons and their derivatives and other toxic pyrolysis products. Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical, low velocity water fog, Halon (if permitted), As with any fire, firefighters should wear appropriate protective equipment including a 5.3 Firefighting Procedures: MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Treat as hot oil. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a noncombustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., oxidizers, strong acids, alkalis) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. . Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. 7.1 Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in closed containers. Avoid temperatures above 40°C (120°F). Keep away from incompatible substances (see Section 10) and food/drink. Protect containers from physical damage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. 7.3 Special Precautions: **EXPOSURE CONTROLS & PERSONAL PROTECTION** 8. 8.1 Ventilation & Engineering Controls: Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eve Protection: Avoid eye contact. Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 8.4 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile) when using or handling this product. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. 8.5 Body Protection: Not required under normal conditions of use. A chemical resistant apron and/or protective clothing are recommended when handling or using large quantities (e.g., > 5 gallons (18.9 L)) of this product. Protective working garments should meet EU Standard EN 344 or equivalent.



Page 3 of 6 **WP-014**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Grey paste 92 Odor: Mild petroleum odor 9.3 Odor Threshold: NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: 95 °C (203 °F) Initial Boiling Point/Boiling Range: 9.6 NA Flashpoint: 97 > 100 °C (212 °F) Upper/Lower Flammability Limits: 9.8 NA q q Vapor Pressure: NA 9.10 Vapor Density: NA Relative Density: 9.11 0.9 g/mL @ 20 °C (68 °F) 9.12 Solubility: Insoluble 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability This product is stable under normal storage and use conditions. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO₂) and nitrogen (NO_x). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, high heat and direct sunlight. 10.5 Incompatible Substances: Strong oxidizing agents, acids or alkalis. TOXICOLOGICAL INFORMATION Absorption: YES Routes of Entry: 11 1 Inhalation: NO 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. Toxicology data for some of the components in this product are found in scientific literature, but are not presented in this document. 11.3 Acute Toxicity See section 2.4 11.4 Chronic Toxicity: See section 2.5 11.5 Suspected Carcinogen: This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenicity effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 2.3 11.8 Biological Exposure Indices: NA 11.9 Physician Recommendations: Treat symptomatically. Contact a poison treatment specialist if a large quantity was ingested or inhaled. 12. ECOLOGICAL INFORMATION Environmental Stability 12 1 Do not allow product to reach ground water, water bodies or sewage system. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. Avoid dispersal of spilled material and 13.1 runoff and contact with soil, waterways, drains and sewers. 13.2 Special Considerations: Disposal in an incineration plant in accordance with the regulations of the local authorities. For recycling, consult manufacturer. European Waste Catalog: 12 01 12



Page 4 of 6 **WP-014**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADGT, ADR and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	NA NA
15.3	TSCA Inventory Status:	All components of this product are listed in the TSCA Inventory or are exempt.
15.4	CERCLA Reportable Quantity (RQ):	NA NA
15.5	Other Federal Requirements:	NA NA
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R): R36/38 – Irritating to eyes and skin. Safety Phrases (S): S(2)-23-24-62 - Keep out of the reach of children. Do not breathe mists/vapors/spray. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.



Page 5 of 6 **WP-014**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 12/31/2013 16. OTHER INFORMATION **WARNING!** MAY CAUSE AN ALLERGIC SKIN REACTION. Avoid breathing mist/vapours/spray. Wear protective gloves/eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: 16.1 Other Information: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Worldpac's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Worldpac, Inc.









Page 6 of 6 WP-014

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 12/31/2013

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С		型	
D		型	
Ε			
F			





Full Face Respirator















(Cy Face Shield &

Protective Eyewear

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND Not Determined	
ML	Maximum Limit
SCBA Self-Contained Breathing Apparatus	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX Oxidizer	
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
50	s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	L Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0			(2)	\bigcirc	®		ĸ	
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F	
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive	

EC (67/548/EEC) INFORMATION:

I.		M	¥			×	×
С	E F		N	0	Т	Xi	Xn
Corrosive	Explosive Flammable		Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		E
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment